

Highest True 1/1,000,000 internal resolution means more than amazing accuracy...

Precision

The DC-190 is all about making it easier—and more affordable—to achieve the kind of versatile performance you need to improve your bottom line. With a counting resolution of 1/1,000,000, you can process a far wider range of piece sizes with just one scale. That's versatility you can't afford to do without.



With so many standard features,



They say nobody's perfect. Allow us to disagree.

The DC-190 is loaded with user-friendly features designed to help operators achieve perfect results, and get them faster than ever before. For instant data recognition, three vibrant VFD displays allow operators to view weight, unit weight and quantity simultaneously. The 10-piece default sampling setting and accuracy enhancement feature relieves users from counting out large samples. With a choice of weight/1,000 or average piece weight (A.P.W.) display, operators can always work in the mode that's most familiar to them. And while the DC-190 has infinite power to handle the most complex operations, most counting tasks will be accomplished with the touch of a single button.



Rugged, lightweight portability designed to fit any application.

Sin

eng

ope

1/1

app

From permanent installations to seasonal rentals, the DC-190 is always the right solution. And for operations that don't require concurrent tasks, the DC-190 is light, tough and easy to set up for shuttling throughout the plant. Working in limited spaces or just want to keep the display out of harm's way? The indicator can be detached from the base and mounted on a pole. No power where you need it? The optional internal rechargeable battery provides hours of portable counting power.

It's never been easier to enhance productivity throughout your operation.

Versatile,


es, spending more is simply not an

All data displayed simultaneously on 3 large, bright VFD displays

> Simple prompting aids training and reduces operator error


Easy toggling from one scale to another





Endless capacity range and system versatility with 4 inputs <u>standard</u>.

Simply stated, the DC-190 gives you more for less. From tiny resistors to heavy engine parts, the DC-190 comes out of the box ready to count anything in your operation. For the smallest pieces, take full advantage of the DC-190's amazing 1/1,000,000 internal resolution with the dual platter system. For heavy capacity applications, plug in a bench scale, floor scale—or both—and process bulk containers up to 50,000 lbs!



Power 1

Automate inventory n with built-in 200-item re and network capa

From undercounts to costly overages, inaccurate informatic climate. The DC-190 offers a variety of innovative features any operation. The 200-item recall memory allows operator piece weights, tare weights, lot numbers and inventory ba built-in PC interface makes it easy to integrate with existin

Operators can also program up to six setpoints based on weight, quantity, % weight or % quantity. Three standard RS-232 serial ports speed up any counting operation with the addition of a bar code laser or pen scanner to eliminate manual entry errors and quickly recall stored data. For instant documentation, add a label, ticket or tape printer for on-the-spot recording of your data.





HIGH RESOLUTION COUNTING SCALES DC-190 Series

OPTIONS/ACCESSORIES

- Bench scales
- Tape, ticket and label printers



For more information on DC-190 peripherals and our full line of counting and process control weighing equipment, visit us online to request literature, download data sheets, or request a quote.

www.ricelake.com

SPECIFICATIONS

DISPLAY	. Weight: five-digits Unit Weight: five-digits
	Quantity: seven-digits
DISPLAY RESOLUTION	. 2500 to 10,000
INTERNAL RESOLUTION	. 1,000,000
POWER SOURCE	. 115 VAC, 50/60 Hz
INPUT SENSITIVITY	. 0.4–4.0 mV/V
ZERO ADJUST RANGE	. 100% full scale
A/D CONVERSION RATE	. 10 times per second
LOAD CELL EXCITATION	. 12 VDC
MEMORY ITEMS	. 200 items maximum
LOAD CELL INPUT CONNECTOR	
BAR CODE SCANNER CONNECTOR.	. DIN 8-pin (RS-232)
PC OR BAR CODE	
PRINTER CONNECTOR	. DIN 8-pin (RS-232) or D-sub 9-pin (RS-232)
SETPOINT OUTPUT CONNECTOR	. Mini DIN 8-pin (24V open collector)
OPERATING TEMPERATURE	. 14° F to 104° F (-10° C to 40° C)
DIMENSIONS	. Pole type: 16.5" L x 16.4" W x 17.9" H
	(419 mm L x 416 mm W x 454 mm H)
	Bench type: 17.1" L x 16.4" W x 4.9" H
	(434 mm L x 416 mm W x 124 mm H)
ESTIMATED SHIPPING WEIGHT	. Pole type: 19.4 lb (8.8 kg)
	Bench type: 17.6 lb (8 kg)
WARRANTY	

DESCRIPTION PLATTER RESOLUTION

SINGLE PLATFORM (S-XL); 4 CHANNEL SYSTEM

DC-190, 1lb	. 0.0001 lb	.6" x 8"
DC-190, 2.5 lb	. 0.0002 lb	.7" x 10"
DC-190, 5 lb	. 0.0005 lb	.11" x 16"
DC-190, 10 lb	. 0.001 lb	.11" x 16"
DC-190, 25 lb	. 0.002 lb	.11" x 16"
DC-190, 50 lb	. 0.005 lb	.11" x 16"
DC-190. 100 lb	. 0.01 lb	.11" x 16"

DUAL PLATFORM (S-XD); 4 CHANNEL SYSTEM

DC-190, 1/10 lb	0.0001/0.001 lb	4" x 6/9" x 12"
DC-190, 1/25 lb	0.0001/0.002 lb	4" x 6/9" x 12"
,	0.0001/0.005 lb	
,	0.0002/0.002 lb	
,	0.0002/0.005 lb	





DIGI's Inventory Management System (IMS) is a comprehensive software package that stores and manages data on your PC. With the DC-190 Series you can create custom reports for inventory, threshold, location and more. It is designed for operators with minimal computer experience and managers who require quick and accurate information. Scales can be added or moved on-the-fly without interrupting other scales operating on the network. IMS is the solution for real-time inventory management.

For information on inventory control using bar coding, refer to the white paper at www.ricelake.com.



Regional Distributor

803, Riqqa Palace Building, Al-Maktum Ave.

Tel.: +97 14 2270081 Fax: +97 14 2239962 rcsco@eim.ae www.rcs-co.com



