

LOAD CELLS





Load Cells Vishay Celtron

Product	Features	Capacities
Aluminum Single Point Load Cells	s	
LOC ME LOC LE	 Anodized aluminum construction Floor and bench platform scales, counting scales, check weighers Platform size: 40 x 60 cm (16 in. x 24 in.) NTEP III 5000S (5 - 500 kg), OIML C3 (5 - 500 kg) and C6 (500 - 1000 kg), IP66 Interchangeable: Vishay Tedea-Huntleigh 1263 (LOC ME), 1250/1252 (LOC LE), 1042 (LOC SE) 	5, 7, 10, 15, 20, 30, 50, 60, 75, 100, 150, 250, 300, 500, 635, 800, 1000 kg
LPS SE	 Anodized aluminum construction Retail and counting scales; packaging, dosing, and filling machines Low-profile compact design Platform size: LPS SE - 20 x 20 cm (8 in. x 8 in.), LPS ME - 30 x 30 cm (12 in. x 12 in.), LPS LE - 40 x 40 cm (16 in. x 16 in.) NTEP III 5000S (LPS ME), OIML C3, IP66 Interchangeable: Vishay Tedea-Huntleigh 1006 (LPS SE), 1022 (LPS ME), 1242 (LPS LE) 	0.6, 1, 2, 3 kg
LPS ME		6, 10, 15, 20, 30, 35 kg
LPS LE		60, 100, 200 kg
НОС	 Anodized aluminum construction Floor platform scales, hoppers, belt conveyor scales Side-mount, rugged design with low sensitivity to moment Platform size: 120 x 120 cm (48 in. x 48 in.) OIML C3, IP66, FM Interchangeable: Vishay Tedea-Huntleigh 1320 	750, 1000, 2000 kg
S-Type Load Cells		
STC/STC-SS	 STC nickel-plated alloy tool steel or STC-SS stainless steel construction Bin, hopper, and belt conveyor scales Tension and compression measurements NTEP III 5000S and IIIL 10000S (250 - 20 K lb), IP67, FM Interchangeable: Vishay Sensortronics 60001 and 60050, Vishay Tedea-Huntleigh 615 and 616 	25, 50, 75, 100, 250, 500, 750, 1000, 1500, 2000, 2500, 5000 kg
		250, 300, 500, 750, 1000, 1500, 2000, 2500, 3000, 5000, 7500, 10000, 15000, 20000, 40000 lb
Shear Beam Load Cells		
SQB/SQB-SS/SEB	 SQB/SEB nickel-plated alloy tool steel or SQB-SS stainless steel construction Floor scales; tank, bin, and hopper weighing Through- or threaded-load hole SQB - NTEP III 5000M (1 K - 10 K lb), FM SEB - NTEP OIML C3 (0.5 K - 2.5 K kg), IP67, FM Interchangeable: Vishay Sensortronics 65023, Vishay Tedea-Huntleigh 3410, Vishay Revere 5123 	250, 500, 1000, 1500, 2000, 2500, 5000 kg
		500, 1000, 2000, 2500, 3000, 4000, 5000, 10000, 15000, 20000 lb



VISHAY

Product	Features	Capacities
Double-Ended Shear Bear	n Load Cells	
DSR/DSR-SS	 DSR nickel-plated alloy tool steel or DSR-SS stainless steel construction Batching, blending, and mixing; level and inventory monitoring; tank, bin, and silo weighing IP67, FM Interchangeable: Vishay Sensortronics 65016, Vishay Revere 5203/9203 	1000, 1500, 2000, 2500, 3000, 5000, 10000, 15000, 20000, 25000, 50000, 75000 lb
DSR-HSS	 Stainless steel, welded construction. Batching, blending, and mixing; level and inventory monitoring; tank, bin, and silo weighing IP68, FM Interchangeable: Vishay Sensortronics 65016-0104W 	2000, 2500, 3000, 5000, 10000, 15000, 20000, 25000, 50000, 75000 lb
DLB	 Nickel-plated alloy tool steel construction Truck and railroad track scales Double-ended link loading NTEP IIIL 10000M, IP67, FM Interchangeable: Vishay Sensortronics 65040 	25000, 40000, 50000, 60000, 75000, 100000, 125000 lb
CLB	 Nickel-plated alloy tool steel construction Truck and railroad track scales; tank, bin, and silo weighing NTEP IIIL 10000M, IP67, FM Interchangeable: Vishay Sensortronics 65058, Vishay Tedea-Huntleigh 4158, Vishay Revere 5303 	20000, 25000, 40000, 50000, 60000, 75000, 100000, 125000 lb
CSB	 Nickel-plated alloy tool steel construction Truck and railroad track scales; tank, bin, and silo weighing NTEP III 10000M, IP67, FM Interchangeable: Vishay Sensortronics 60058, Vishay Revere 5103 	5000, 10000, 20000, 30000, 40000, 50000, 60000, 100000, 150000 lb
MDB/MBD-H	 MDB: nickel-plated alloy tool steel, IP67 MDB-H: nickel-plated alloy tool steel welded construction, IP 68. Hermetically sealed version available Truck and railroad track scales Supplied with mounting hardware 	10000, 20000, 25000, 30000, 40000, 50000 kg
Compression Load Cells		
PSD	 Nickel-plated alloy tool steel construction Truck scales; tank, bin, and silo weighing; universal material tester Low-profile, low-deflection disk design OIML C3, IP67 	2500, 5000, 10000, 25000 kg
LCD	 Nickel-plated alloy tool steel construction Truck scales; tank, bin, and silo weighing; universal material tester Low-profile, low-deflection, high-output disk design IP67, FM 	5000, 10000, 25000, 50000, 100000 lb

Interchangeable: Interface 1121

VISHAY MEASUREMENTS GROUP:



One of the World's Largest Manufacturers

of Discrete Semiconductors and Passive Components

THE AMERICAS

UNITED STATES

VISHAY TRANSDUCERS AMERICAS 801 SENTOUS AVENUE CITY OF INDUSTRY, CA 91748 UNITED STATES PH: +1-800-872-4784 (TOLL FREE*) +1-626-858-8899 FAX: +1-626-332-3418 E-MAIL: VT.US@VISHAYMG.COM *US ONLY, OUTSIDE CALIFORNIA

TAIWAN, R.O.C.

TAIWAN, R.O.C.
VISHAY TRANSDUCERS TAIWAN*
15 FL, NO. 86, SEC.1 SHINTAI 5TH RD.
SIJHIH CITY, TAIPEI, 22102
TAIWAN, R.O.C.
PH: +886-2-2696-0168
FAX: +886-2-2696-4965
E-MAIL: VT.ROC@VISHAYMG.COM
*ASIA EXCEPT P.R.C.

EUROPE

UNITED KINGDOM

GERMANY

VISHAY MEASUREMENTS GROUP GERMANY
TATSCHENWEG 1
74078 HEILBRONN
GERMANY
PH: +49-7131-3901-260
FAX: +49-7131-3901-2666
E-MAIL: VT.DE@VISHAYMG.COM

FRANCE

VISHAY MEASUREMENTS GROUP FRANCE
16 RUE FRANCIS VOVELLE
28000 CHARTRES
FRANCE
PH: +33-2-37-33-31-20
FAX: +33-2-37-33-31-29

VISHAY TRANSDUCERS CHINA
NO. 5 BINGUAN NAN DAO YOUYI RD.
HEXI DISTRICT
CODE 300061, TIANJIN, P.R.C.
PH: +86-22-2835-3503
FAX: +86-22-2835-7261

NETHERLANDS

VISHAY TRANSDUCERS THE NETHERLANDS RAMSHOORN 7 P.O. BOX 6909 4802 HX BREDA

ISRAEL
VISHAY MEASUREMENTS GROUP ISRAEL
5 HAZORAN STREET
P.O. BOX 8381, NEW INDUSTRIAL ZONE
NETANYA 42506
ISRAEL

Regional Distributor



803, Riqqa Palace Building Al-Maktum Ave. P.O.Box 181802 Dubai, UAE Tel: +9714 - 2270081 Fax: +9714 - 2239962 E-mail: rcsco@eim.ae

www.rcs-co.com

www.vishay.com